

# Material Safety Data Sheet

## Quick Draw Plastic and Leather Lubricant

Date of Preparation: 06/08/2015

Revision: 06/15

### Section 1 - Chemical Product and Company Identification

**Product Name:** Quick Draw Lubricant

**Chemical Name:** Mixture

**Chemical Formula:** Proprietary Formula

**General Use:** Lubricant

**Distributor:** Quick Draw Gear, 950 W Bannock St. #1100, Boise ID 83702

**Phone:** 619.940.4645

### Section 2 - Composition / Information on Ingredients

Ingredient Name	CAS Number	WT%	PEL	TWA-TLV	Carcinogen
Liquefied Petroleum Gas	68476-86-8	35-45	1000 ppm	1000ppm	No
Poly(Dimethylsiloxane), Trimethylsiloxy Terminated	9016-00-6	50-60	N.E.	N.E.	No
Lanolin	8006-54-0	< 2%	N.E.	N.E.	No
Octamethylcyclotetrasiloxane	556-67-2	< 2%	N.E.	N.E.	No

N.E. = Not established.

### Section 3 - Hazards Identification

#### Emergency Overview

#### Potential Health Effects

**Specific Physical Form:** Aerosol

**Odor, Color, Grade:** transparent, solvent odor

**General Physical Form:** Liquid

**Immediate health, physical, and environmental hazards:** Closed containers exposed to heat from fire may build pressure and explode. Extremely flammable liquid and vapor. Vapors may travel long distances along the ground or floor to an ignition source and flash back. Aerosol container contains flammable material under pressure. May cause severe eye irritation. May cause

#### Acute Effects

**Inhalation:** Dizziness, nausea, headaches, and loss of consciousness.

**Eye:** Prolonged exposure may result in irritation or injury.

**Skin:** Prolonged contact may result in irritation.

**Ingestion:** May be harmful if swallowed.

**Carcinogenicity:** None of the components in this material is listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.

### Section 4 - First Aid Measures

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

**Eye Contact:** Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

**Skin Contact:** Wash affected area with soap and water. If signs/symptoms develop, get medical attention.

**Inhalation:** Remove person to fresh air. Get immediate medical attention.

**If Swallowed:** Do not induce vomiting. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

#### NOTE TO PHYSICIANS

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary

### Section 5 - Fire-Fighting Measures

**Flash Point:** Not Available

**Flash Point Method:** TCC

Revision: 03/15

**Extinguishing Media:** CO<sub>2</sub>, foam, water spray or dry chemical.

**Unusual Fire or Explosion Hazards:** Avoid possible bursting of aerosol can. Do not store where temperature may exceed 120°F. Do not puncture or incinerate.

**Fire-Fighting Instructions:** Avoid possible accumulations of vapors at floor level, as vapor is heavier than air. Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

## Section 6 – Accidental Release Measures

**Spill Procedures:** Eliminate all sources of ignition. Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

## Section 7 - Handling and Storage

**Handling Precautions:** Do not use near heat, sparks or open flame. Do not puncture or incinerate. Avoid contact with skin and eyes. Wash hands before eating and smoking.

**Storage Requirements:** Store away from heat, sparks or open flame. Do not store where temperature may exceed 120°F.

## Section 8 - Exposure Controls / Personal Protection

**Engineering Controls:** Good general ventilation (typically 10 air changes per hour) should be used.

**Eyes:** Safety glasses recommended.

**Skin:** Neoprene, or nitrile gloves recommended.

**Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2).

**Respiratory Protection:** If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge.

## Section 9 - Physical and Chemical Properties

**Appearance and Odor:** Opaque liquid with characteristic odor

**Vapor Pressure:** 50 psig at 70°F

**Vapor Density (Air=1):** > 1.0

**Specific Gravity (H<sub>2</sub>O=1):** N/A

**Boiling Point:** Not Available

**Melting Point:** Not Available

**Flash Point:** Not applicable

**Evaporation Rate (butyl acetate=1):** >1

**Solubility in Water:** Negligible

## Section 10 - Stability and Reactivity

**Stability:** Stable.

**Polymerization:** Hazardous polymerization will not occur.

**Chemical Incompatibilities:** Not Applicable.

**Conditions to Avoid:** Heat, sparks, flames, strong oxidizers.

## Section 11 – Toxicological Information

See Section 3.

## Section 12 – Ecological Information

No data available.

## Section 13 – Disposal Considerations

**Recommended Method of Disposal:** Disposal should be made in accordance with federal, state and local regulations. This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label. If recycling is not available, wrap the container and discard in the trash.

**US EPA Waste Number:** D001 as per 40CFR 261.21

## Section 14 – Transport Information

**DOT Surface Shipping Description:** UN1950, Aerosols, 2.1 Ltd. Qty (Note: Shipping Papers are not required for Limited Quantities unless transported by air or vessel – each package must be marked with the Limited Quantity Mark)

**IMDG Shipping Description:** UN1950, Aerosols, 2.1, LTD QTY

**ICAO Shipping Description:** UN1950, Aerosols, flammable, 2.1 NOTE: WD-40 does not test aerosol cans to assure that they meet the pressure and other requirements for transport by air. We do not recommend that our aerosol products be transported by air.

### Section 15 – Regulatory Information

**U.S. Federal Regulations:**

**CERCLA 103 Reportable Quantity:** This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**SARA TITLE III:**

**Hazard Category For Section 311/312:** Acute Health, Fire Hazard, Sudden Release of Pressure

**Section 313 Toxic Chemicals:** This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

**Section 302 Extremely Hazardous Substances (TPQ):** None

**EPA Toxic Substances Control Act (TSCA) Status:** All of the components of this product are listed on the TSCA inventory.

**VOC Regulations:** This product complies with the consumer product VOC limits of CARB, the US EPA and states adopting the OTC VOC rules.

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):** This product does not contain chemicals regulated under California Proposition 65.

### Section 16 – Other Information

**Estimated NFPA Rating:** HEALTH 1, FLAMMABILITY 2, REACTIVITY 0.

**Estimated HMIS Classification:** HEALTH 1, FLAMMABILITY 2, PHYSICAL HAZARD 0

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS MATERIAL SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND.